



## Technical Data Sheet Signature 800 Single Pass Door



- Same core construction as movable partition panels
- Same surface finish as movable partition / optional custom finish / unfinished
- Low profile hinges
- · Flush pulls and roller latch
- 2553 mm [8'-4 1/2""] underside of track MIN for 2134 mm [7'-0"] door
- 2452 mm [8'-0 1/2""] underside of track MIN for 2032 mm [6'-8"] door
- 1- Fixed sweeps
- 2- Flush pull
- 3- Retractable seal activator
- 4- Manually-activated bottom seals
- 5- Automatically-activated door deal
- 6- ADA-compliant door treshold:
  - 12 mm [1/2"] thickness
  - 2:1 slope





## **Horizontal Section**





## **Optional Hardware**





- 1- Self-luminous Exit Sign ("Green Running Man" available as an upcharge)
- 2- Panic Bar 1
- 3- Door Viewer
- 4- Panic bar Lever (with optional lock)
- 5- Concealed Door Closer
- 6- Window Frame
  - 152 mm X 356 mm [6" X 14"]
  - Glazing by others
- 7- Deadbolt lock <sup>2</sup>
- 8- Push/pull door knob
- 1 Add 102 mm [4"] to stack depth for each panic bar
- <sup>2</sup> Not available with panic bar or exit sign