



PREMIUM VINYL WALLCOVERINGS

This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.

HOUSE OF TWEED



Boathouse HT21-11


Bungalow HT21-13



Craftsman HT21-05


Creole HT21-14


Empire HT21-12



Highrise HT21-06



Mediterranean HT21-08



Modern HT21-01


Neoclassical HT21-10


Revival HT21-15


Skyscraper HT21-16


Townhouse HT21-09


Villa HT21-03


Chalet HT21-07

This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.

SLAB



Brutalist S322-55



Fountain S322-10



Portico S322-12



Raw S322-50



Plinth S322-80



Terrace S322-57

This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.

CROSS THE LINE


Commitment C822-90


Compassion C822-40


Connection C822-94


Harmony C822-81


Intergrity C822-51


Intuitive C822-20


Longevity C822-18


Prosperity C822-50


Stability C822-25


Confidence C822-92


This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.

OTIS


Bamboo T521-13


Banana Leaf T521-10


Cactus T521-07


Cloud T521-01


Dew Drop T521-11


Moonstone T521-05


Sweetgrass T521-14


Thassos T521-02


Twine T521-04


Blue Yonder T521-08

Technical Data

Total weight	20 oz./lin.yard
Backing	Osnaburg
Federal Spec	CCC-W-408A, Type II
CFFA Spec	CFFA-W-101-D, Type II
Fire testing	-NFPA 101, Life Safety Code -NFPA 255 (UL 723, CAN/ULC S102M) Tunnel Test, Class A -NFPA 286 Corner Burn Test, Meets requirements for Flame Spread and Smoke Developed -UL labeled and listed
Flame Spread	15
Smoke Developed	30
VOC	-Passed Test Protocol CA DHS Section 01350 for low VOC Emissions -Test Method CA/DHS/EHLB/R-174

Vinyl wallcoverings contain bactericides and mildew inhibitors to protect the product from microbiological and mildew growth.

Vinyl wallcoverings are manufactured Cadmium- and Mercury-free.

Within commercially acceptable tolerances, some variation of color may occur between dye lots.