




## Technical Data Sheet Signature 843-E Single Pass Door




- Same core construction as movable partition panels
- Same surface finish as movable partition / optional custom finish / unfinished
- Low profile hinges
- Flush pulls and roller latch
- Partition with FF seals.
  - 2553 mm [8'-4 1/2"] underside track MIN for 2134 mm [7'-0"] door.
  - 2452 mm [8'-0 1/2"] underside track MIN for 2032 mm [6'-8"] door.
- Partition with FA seals.
  - 2902 mm [9'-6 1/4"] underside track MIN for 2134 mm [7'-0"] door.
  - 2800 mm [9'-2 1/4"] underside track MIN for 2032 mm [6'-8"] door.

1- Fixed sweeps


2- Flush pull

3- Fixed sweeps

## Horizontal Section



## Optional Hardware



### 1- Exit Sign

- Self-luminous "Running Man" exit sign with green faceplate (standard outside USA, optional in USA)
- Photoluminescent "EXIT" sign with red faceplate (standard in USA, optional elsewhere)
- Photoluminescent "EXIT" sign with green faceplate (optional)
- Self-luminous "EXIT" sign with red faceplate (optional)
- Self-luminous "EXIT" sign with green faceplate (optional)

### 2- Concealed Door Closer

### 3- Window Frame

- 355 mm X 610 mm [14" X 24"]
- Glazing by others

### 4- Deadbolt lock <sup>1</sup>

### 5- Door Viewer

<sup>1</sup> Not available with exit sign